

Cover Crop Research and the Bottom Line

Bill Deen
Presented at 8th Annual MCCC Meeting
February 28, 2013
London, Ontario



CHANGING LIVES IMPROVING LIFE



Winter wheat provides "niche" for cover crop opportunity

- In a corn/soybean/winter wheat rotation winter wheat rotation often perceived as contributing the least to profitability...but perhaps it is equal or more
- Longterm trials at Elora Research Station and Ridgetown Campus demonstrate that addition of winter wheat provides
 - Increase of yield and yield stability of corn and soybean
 - Reduction of corn N requirement
 - Net return from wheat straw
 - An opportunity for cover crop and associated benefits





What cover crop to grow in "niche" provided by winter wheat?

- Substantial data set demonstrating that N benefit of cover crop to subsequent corn crop observed for red clover and not for other cover crops
- Substantial data demonstrating rotation benefit of red clover to subsequent crops... less data for other crops




Table 2. Analysis of maximum economic rates of nitrogen, yield gains and profits associated with red clover inter-seeded to winter wheat under different tillage systems and maize and nitrogen prices.

Cover crop

No red closuer

Maize price 1

 Mg^{-1}

N cost

\$ Kg⁻¹

Tillage

system

MERN²

Kg N ha⁻¹

1/12

MEY³

Mg ha⁻¹

0454

Gross return 4

1202

\$ ha⁻¹

Profit



| | | | No red clover | 143 | 9454 | 1293 | | |
|------------|-----|-----|-----------------------|-----|-------|------|-----|--|
| | 150 | | Red clover | 79 | 9886 | 1382 | | |
| | 150 | 1 | Difference, | ** | ** | ** | | |
| | | | Rotational effect (%) | | 4.57% | | 89 | |
| | | | No red clover | 129 | 9338 | 822 | | |
| | | | Red clover | 74 | 9841 | 888 | | |
| | 100 | 1 | Difference | ** | ** | ** | | |
| enti | | | Rotational effect (%) | ** | 5.38% | | 66 | |
| al — ge | 150 | | No red clover | 129 | 9338 | 1234 | | |
| ge | | 1.5 | Red clover | 74 | 9841 | 1352 | | |
| | | | Difference | ** | ** | ** | 110 | |
| _ | | | Rotational effect (%) | ** | 5.38% | | 118 | |
| | | | No red clover | 107 | 9068 | 772 | | |
| | 100 | 1.5 | Red clover | 63 | 9713 | 863 | | |
| | | 1.5 | Difference | | ** | ** | 00 | |
| | | | Rotational effect (%) | | 7.11% | | 90 | |

N rates on a subset of 28 site-year from the Ontario Nitrogen Database project [79–124].

Maize price after drying, handling and marketing;

Maximum Economic Rate of Nitrogen (MERN) calculated using quadratic-plateau functions;

Maximum Economic Yield (MEY) at MERN;


Gross return based on nitrogen cost and maize yield at MERN with clover establishment cost estimated at \$40 ha⁻¹; ns: non significant;


** significant at p < 0.01. Gaudin et al, 2013. Agron.



Estimated gross margin of C/S rotation

| | Corn | Soy |
|----------------------------|--------|--------|
| Yield (bu/ac) | 175 | 50 |
| \$/bu | 5.25 | 12.00 |
| Gross Revenue (\$/ac) | 918.75 | 600.00 |
| Operating Expenses (\$/ac) | 477.00 | 231.00 |
| Gross Margin (\$/ac) | 441.75 | 369.00 |







Estimated gross margin of C/S/W rotation - No red clover

| | Corn | Soy | Wheat | Straw Value | | |
|--|--------|--------|--------|-------------------------|-------|--------|
| Yield (bu/ac) | 175 | 50 | 80 | Straw yield | 2500 | lbs |
| \$/bu | 5.25 | 12.00 | 7.00 | Straw value in winrow | 0.04 | \$/Ib |
| Gross Revenue (\$/ac) | 918.75 | 600.00 | 560.00 | Nutrient removal | 0.007 | \$/Ib |
| Operating Expenses (\$/ac) | 477.00 | 231.00 | 274.00 | Net straw value | 0.033 | \$/Ib |
| Gross Margin (\$/ac) | 441.75 | 369.00 | 286.00 | | | |
| Adj Gross Margin (\$/ac) | 487.69 | 417.00 | 368.50 | Red cover N credit | | |
| GM Diff (\$/ac) | 45.94 | 48.00 | 82.50 | Ncorn N rate reduction | 75 | lbs/ac |
| True Gross Margin (\$/ac) | 441.75 | 369.00 | 462.44 | Nitrogen cost | 0.5 | \$/Ib |
| | | | | Red clover success rate | 0.00 | |
| Adjustments | | | | | | |
| Rotation Adjustment (%) | 5 | 8 | 0 | | | |
| Straw Revenue (\$/ac) | | | 82.50 | | | |
| Red Clover (adj for stand success) (%) | 0 | 0 | 0 | | | |
| Red clover N Adj (adj for stand success) (\$/ac) | 0.00 | | | | | |
| | | | | | | |


Bonus

Operating expenses taken from 2012 OMAFRA Crop Budgets - (http://www.omafra.gov.on.ca/english/busdev/facts/pub60.htm)

Double crop revenue - oat/pea

Nutrient price taken from October 2012 - Ridgetown Input Price Survey -

http://www.ridgetownc.uoguelph.ca/research/research_reports_topic.cfm?ref=FARM_INPUT_PRICES





Estimated gross margin of C/S/W rotation - Red clover

| | | | | _ | | | |
|--|--------|--------|--------|---|-------------------------|------------|--------|
| | Corn | Soy | Wheat | | Straw Value | | |
| Yield (bu/ac) | 175 | 50 | 80 | | Straw yield | 2500 | lbs |
| \$/bu | 5.25 | 12.00 | 7.00 | | Straw value in winrow | 0.04 | \$/Ib |
| Gross Revenue (\$/ac) | 918.75 | 600.00 | 560.00 | | Nutrient removal | 0.007 | \$/Ib |
| Operating Expenses (\$/ac) | 477.00 | 231.00 | 274.00 | | Net straw value | 0.033 | \$/Ib |
| Gross Margin (\$/ac) | 441.75 | 369.00 | 286.00 | | | | |
| Adj Gross Margin (\$/ac) | 571.13 | 447.00 | 368.50 | | Red cover N credit | | |
| GM Diff (\$/ac) | 129.38 | 78.00 | 82.50 | | Ncorn N rate reduction | 7 5 | lbs/ac |
| True Gross Margin (\$/ac) | 441.75 | 369.00 | 575.88 | | Nitrogen cost | 0.5 | \$/Ib |
| | | | | | Red clover success rate | 1.00 | |
| Adjustments | | | | | | | |
| Rotation Adjustment (%) | 5 | 8 | 0 | | | | |
| Straw Revenue (\$/ac) | | | 82.50 | | | | |
| Red Clover (adj for stand success) (%) | 5 | 5 | 0 | | | | |
| Red clover N Adj (adj for stand success) (\$/ac) | 37.50 | | | | | | |


Operating expenses taken from 2012 OMAFRA Crop Budgets - (http://www.omafra.gov.on.ca/english/busdev/facts/pub60.htm)

Nutrient price taken from October 2012 - Ridgetown Input Price Survey -

http://www.ridgetownc.uoguelph.ca/research/research_reports_topic.cfm?ref=FARM_INPUT_PRICES







CHANGING LIVES IMPROVING LIFE